

1	2000-2001		2002
2000	2001	2002	2003
2001	2002	2003	2004
2002	2003	2004	2005
2003	2004	2005	2006
2004	2005	2006	2007
2005	2006	2007	2008
2006	2007	2008	2009
2007	2008	2009	2010
2008	2009	2010	2011
2009	2010	2011	2012
2010	2011	2012	2013
2011	2012	2013	2014
2012	2013	2014	2015
2013	2014	2015	2016
2014	2015	2016	2017
2015	2016	2017	2018
2016	2017	2018	2019
2017	2018	2019	2020
2018	2019	2020	2021
2019	2020	2021	2022
2020	2021	2022	2023
2021	2022	2023	2024
2022	2023	2024	2025
2023	2024	2025	2026
2024	2025	2026	2027



Author	Year	Country	Sample Size	Age Range	Sample Type	Study Design	Intervention	Outcomes
Barnes et al.	1999	USA	1,000	65-85	Community	Cross-sectional	None	Cognitive function, depression
Crimmins et al.	2005	USA	1,500	70-85	Community	Longitudinal	None	Cognitive decline, mortality
Folstein et al.	1991	USA	36	75-85	Community	Cross-sectional	None	Cognitive function
Gatz et al.	2002	USA	1,000	70-85	Community	Cross-sectional	None	Cognitive function, depression
Crimmins et al.	2005	USA	1,500	70-85	Community	Longitudinal	None	Cognitive decline, mortality
Folstein et al.	1991	USA	36	75-85	Community	Cross-sectional	None	Cognitive function
Gatz et al.	2002	USA	1,000	70-85	Community	Cross-sectional	None	Cognitive function, depression
Gatz et al.	2002	USA	1,000	70-85	Community	Cross-sectional	None	Cognitive function, depression
Gatz et al.	2002	USA	1,000	70-85	Community	Cross-sectional	None	Cognitive function, depression